

Town of Farmington

Request for Proposals

Hot Mixed Asphalt Paving Services

The Town of Farmington is seeking proposals for a qualified contractor to provide Hot Mixed Asphalt Paving services. Services will include providing adequate materials, labor, traffic control and equipment to perform, hot mixed asphalt paving in various locations throughout the Town of Farmington as directed by the Town Board. New hot mix asphalt material should consist of 12.5 mm 58-28s Surface course material with tack coat in-between layers.

Asphalt Overlay Roads

The scope of work will include a minimum .75" thick pavement surface skim (hot mix wedge), topped with 2.25" of surface hot mix asphalt overlay with tack coat. Proposal should include all mill/wedges required to match existing driveways and/or cross road pavements.

1. Scenic Dr- From western pavement edge of N. Paradise Dr. to eastern pavement edge of Maple Tree Rd.
2. Windy Acres Dr. – from northern pavement edge of Scenic Dr. to southern dead end of Windy Acres- Matching existing pavement edges.
3. Forest View Rd- from northern pavement edge (ROW)of HWY 28 to new pavement edge of E. Moraine Dr.
4. Tomahawk Dr- from northern pavement edge of Hwy A to dead end of Tomahawk Dr.- Matching existing pavement edges

Patch/Wedge Overlay Area

Wedge-The scope of work will include a minimum .75" thick pavement surface shim (hot mix wedge), topped with 2.25" of surface hot mix asphalt overlay with tack coat. Proposal should include all mill/wedges required to match existing driveways and/or cross road pavements.

Patch- The scope of work will include a 1.75" asphalt binder course over subgrade (gravel material), topped with 2.25" of surface hot mix asphalt overlay with tack coat.

1. Meadow Rd- **Patch** area of culvert replacement and **Wedge Overlay** from eastern pavement edge of Trading Post Trail to the east for a distance of 2,250ft. See map

Sealed proposals delivered or mailed to the Town Office are due **Tuesday March 4, 2025 by 4:30pm.** Proposals should also include a copy of the contractors General Liability insurance. Questions should be directed to the Town Chairman at 262.689.1926 or email at ddneumanns@yahoo.com.

The bid information is also available at <https://town.farmington.wi.us>

Once the bids are opened, the Town of Farmington reserves the right to choose the total scope of the work to be awarded, or reject any and all proposals and waive any irregularities. The town will consider action on proposals at the March 11, 2025 Board Meeting (Farmington Town Hall, 9422 Hwy 144, Kewaskum, WI 53040 @ 7:00pm).

Offers shall be clearly labeled "FARMINGTON PAVING BID" and submitted to:

**Town of Farmington
Farmington Paving Bid
Attn: Town Board
9422 State HWY 144
Kewaskum, WI 53040**

Proposal Cost

Overlay Options

1. **Scenic Dr**- From western pavement edge of N. Paradise Dr. to eastern pavement edge of Maple Tree Rd.

Total Cost \$ _____

2. **Windy Acres Dr.** – from northern pavement edge of Scenic Dr. to southern dead end of Windy Acres- Matching existing pavement edges.

Total Cost \$ _____

3. **Forest View Rd**- from northern pavement edge (ROW)of HWY 28 to new pavement edge of E. Moraine Dr

Total Cost \$ _____

4. **Tomahawk Dr**- from northern pavement edge of Hwy A to dead end of Tomahawk Dr.- Matching existing pavement edges

Total Cost \$ _____



Wedge/Overlay Areas

1. **Meadow Rd**- Patch area of culvert replacement and Wedge Overlay from eastern pavement edge of Trading Post Trail to east a distance of 2,250ft. See map

Total Cost \$ _____

Town of Farmington

2025 Road Repair Map



Map produced:
December 2019

Washington
County GIS

